



SM – 370

VI Semester B.A./B.Sc. Examination, May/June 2018
(Fresh+Repeaters) (Semester Scheme)
(CBCS) (2016-17 and Onwards)
MATHEMATICS – VII

Time : 3 Hours

Max. Marks : 70

Instruction : Answer all Parts.

PART – A

1. Answer **any five** questions. (5×2=10)
- In a vector space V over F show that $c \cdot \alpha = 0 \Rightarrow c = 0$ or $\alpha = 0$.
 - Show that $W = \{(0, 0, z)/z \in \mathbb{R}\}$ is a subspace of $V_3(\mathbb{R})$.
 - Show that the vectors $\alpha_1 = (1, 1, 0)$, $\alpha_2 = (1, 1, 0)$, $\alpha_3 = (1, 0, 0)$ are linearly independent.
 - Show that $T : V_2(\mathbb{R}) \rightarrow V_2(\mathbb{R})$ defined by $T(x, y) = (x + y, x - y)$ is a linear transformation.
 - Write the relation between the Cartesian coordinates and cylindrical coordinates of a point.
 - Solve $\frac{dx}{zx} = \frac{dy}{yz} = \frac{dz}{xy}$.
 - Form a partial differential equation by eliminating arbitrary constants from $x^2 + y^2 = (z - c)^2 \tan^2 \alpha$, where c and α are arbitrary constants.
 - Solve $\sqrt{p} + \sqrt{q} = 1$.

PART – B

Answer **two full** questions.

(2×10=20)

2. a) Show that $V = \left\{ \begin{bmatrix} x & 0 \\ 0 & y \end{bmatrix} \mid x, y \in \mathbb{R} \right\}$ is a vector space over \mathbb{R} .
- b) State and prove the necessary and sufficient condition for a nonempty subset W of a vector space $V(F)$ to be a subspace of V .

OR

P.T.O.



3. a) If V is n -dimensional vector space, show that
- any $n+1$ vectors are linearly dependent.
 - no set of $n-1$ vectors can span V .
- b) Find the basis and dimension of the subspace spanned by $(1, -2, 3), (1, -3, 4), (-1, 1, -2)$ of the vector space $V_3(\mathbb{R})$.
4. a) Find the linear transformation $T : \mathbb{R}^2 \rightarrow \mathbb{R}^3$ such that $T(1, 1) = (0, 1, 2), T(-1, 1) = (2, 1, 0)$.
- b) Given the matrix $A = \begin{bmatrix} 1 & 2 \\ 0 & 1 \\ -1 & 3 \end{bmatrix}$, find the linear transformation $T : V_2(\mathbb{R}) \rightarrow V_3(\mathbb{R})$ relative to the bases $B_1 = \{(1, 1), (-1, 1)\}, B_2 = \{(1, 1, 1), (1, -1, 1), (0, 0, 1)\}$.

OR

5. a) Let $T : V_3(\mathbb{R}) \rightarrow V_3(\mathbb{R})$ be a linear transformation such that $T(1, 0, 0) = (1, 0, 2), T(0, 1, 0) = (1, 1, 0), T(0, 0, 1) = (1, -1, 0)$. Find the range, null space, rank nullity and hence verify rank-nullity theorem.
- b) Let $T : V \rightarrow W$ be a linear transformation. Then show that
- $R(T)$ is a subspace of W
 - $N(T)$ is a subspace of V
 - T is one-one if and only if $N(T) = \{0\}$.

PART - C

Answer **two full** questions :**(2x10=20)**

6. a) Verify the condition for integrability and solve $z^2 dx + (z^2 - 2yz) dy + (2y^2 - yz - xz) dz = 0$.
- b) Solve $x^2(y - z)p + y^2(z - x)q = z^2(x - y)$.

OR

7. a) Show that spherical coordinate system is orthogonal curvilinear coordinate system.
- b) Express $\vec{f} = 3xi - 2yzj + x^2zk$ in cylindrical coordinates and find f_ρ, f_ϕ, f_z .



8. a) Solve $\frac{dx}{1+y} = \frac{dy}{1+x} = \frac{dz}{z}$.
- b) Solve $\frac{dx}{x(y^2+z)} = \frac{dy}{-y(x^2+z)} = \frac{dz}{z(x^2-y^2)}$.

OR

9. a) Express $\vec{f} = 2xi - 2y^2j + xzk$ in cylindrical coordinates system and find f_ρ, f_ϕ, f_z .
- b) Express $\vec{f} = xi + yj + zk$ in spherical coordinate system and find f_r, f_θ, f_ϕ .

PART - D

Answer **two full** questions.

(2x10=20)

10. a) Form the partial differential equation by eliminating arbitrary functions from $lx + my + nz = \phi(x^2+y^2+z^2)$.
- b) Solve $x(1+y)p = y(1+x)q$.

OR

11. a) Solve $(D^2 - 5DD' + 4D'^2)z = \sin(4x + y)$.
- b) Solve $p^2 = z^2(1 - pq)$.
12. a) Solve by Charpits method $z^2(p^2 + q^2 + 1) = 1$.
- b) Solve $[D^2 - DD' - 6(D')^2]z = xy$.

OR

13. a) $\frac{\partial^2 u}{\partial t^2} = c^2 \frac{\partial^2 u}{\partial x^2}$ given $u(0, t) = 0, u(l, t) = 0, u(x, 0) = k(lx - x^2), \left(\frac{\partial u}{\partial t}\right)_{t=0} = 0$.
- b) Solve $\frac{\partial u}{\partial t} = 16 \frac{\partial^2 u}{\partial x^2}$, given $u(0, t) = 0, u(1, t) = 0, \forall t, u(x, 0) = x^2 - x, 0 \leq x \leq 1$.